

Übung Größen bruchfrei schreiben

(in dm, cm, mm): $\frac{5}{10} \text{ m} = \frac{1}{2} \text{ m}$ $\frac{1}{2} \text{ m} = \frac{10}{2} \text{ dm} = 5 \text{ dm}$ $1 \cdot 5 \text{ dm} = 5 \text{ dm} = 5 \cdot 10 \text{ cm} = 50 \text{ cm} = 500 \text{ mm}$

(in dm, cm, mm): $\frac{7}{5} \text{ m} = \frac{7}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{100}{5} \text{ cm} = 20 \text{ cm}$ $7 \cdot 20 \text{ cm} = 140 \text{ cm} = 140 \cdot 10 \text{ mm} = 1400 \text{ mm}$ (=14dm)

(in g): $\frac{9}{25} \text{ g} = \frac{9}{25} \text{ kg}$ $\frac{1}{25} \text{ kg} = \frac{1000}{25} \text{ g} = 40 \text{ g}$ $9 \cdot 40 \text{ g} = 360 \text{ g}$

(in kg): $\frac{13}{8} \text{ t} = \frac{13}{8} \text{ t}$ $\frac{1}{8} \text{ t} = \frac{1000}{8} \text{ kg} = 125 \text{ kg}$ $13 \cdot 125 \text{ kg} = 1625 \text{ kg}$

(in dm, cm, mm): $\frac{9}{10} \text{ m} = \frac{9}{10} \text{ m}$ $\frac{1}{10} \text{ m} = \frac{10}{10} \text{ dm} = 1 \text{ dm}$ $9 \cdot 1 \text{ dm} = 9 \text{ dm} = 9 \cdot 10 \text{ cm} = 90 \text{ cm} = 900 \text{ mm}$

(in dm, cm, mm): $\frac{9}{20} \text{ m} = \frac{9}{20} \text{ m}$ $\frac{1}{20} \text{ m} = \frac{100}{20} \text{ cm} = 5 \text{ cm}$ $9 \cdot 5 \text{ cm} = 45 \text{ cm} = 45 \cdot 10 \text{ mm} = 450 \text{ mm}$ (=4,5dm)

(in g): $\frac{7}{4} \text{ g} = \frac{7}{4} \text{ kg}$ $\frac{1}{4} \text{ kg} = \frac{1000}{4} \text{ g} = 250 \text{ g}$ $7 \cdot 250 \text{ g} = 1750 \text{ g}$

(in kg): $\frac{8}{5} \text{ t} = \frac{8}{5} \text{ t}$ $\frac{1}{5} \text{ t} = \frac{1000}{5} \text{ kg} = 200 \text{ kg}$ $8 \cdot 200 \text{ kg} = 1600 \text{ kg}$

(in dm, cm, mm): $\frac{6}{5} \text{ m} = \frac{6}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $6 \cdot 2 \text{ dm} = 12 \text{ dm} = 12 \cdot 10 \text{ cm} = 120 \text{ cm} = 1200 \text{ mm}$

(in dm, cm, mm): $\frac{6}{25} \text{ m} = \frac{6}{25} \text{ m}$ $\frac{1}{25} \text{ m} = \frac{100}{25} \text{ cm} = 4 \text{ cm}$ $6 \cdot 4 \text{ cm} = 24 \text{ cm} = 24 \cdot 10 \text{ mm} = 240 \text{ mm}$ (=2,4dm)

(in g): $\frac{9}{5} \text{ g} = \frac{9}{5} \text{ kg}$ $\frac{1}{5} \text{ kg} = \frac{1000}{5} \text{ g} = 200 \text{ g}$ $9 \cdot 200 \text{ g} = 1800 \text{ g}$

(in kg): $\frac{9}{25} \text{ t} = \frac{9}{25} \text{ t}$ $\frac{1}{25} \text{ t} = \frac{1000}{25} \text{ kg} = 40 \text{ kg}$ $9 \cdot 40 \text{ kg} = 360 \text{ kg}$

(in dm, cm, mm): $\frac{2}{5} \text{ m} = \frac{2}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $2 \cdot 2 \text{ dm} = 4 \text{ dm} = 4 \cdot 10 \text{ cm} = 40 \text{ cm} = 400 \text{ mm}$

(in dm, cm, mm): $\frac{5}{2} \text{ m} = \frac{5}{2} \text{ m}$ $\frac{1}{2} \text{ m} = \frac{100}{2} \text{ cm} = 50 \text{ cm}$ $5 \cdot 50 \text{ cm} = 250 \text{ cm} = 250 \cdot 10 \text{ mm} = 2500 \text{ mm}$ (=25dm)

(in g): $\frac{7}{8} \text{ g} = \frac{7}{8} \text{ kg}$ $\frac{1}{8} \text{ kg} = \frac{1000}{8} \text{ g} = 125 \text{ g}$ $7 \cdot 125 \text{ g} = 875 \text{ g}$

(in kg): $\frac{6}{25} \text{ t} = \frac{6}{25} \text{ t}$ $\frac{1}{25} \text{ t} = \frac{1000}{25} \text{ kg} = 40 \text{ kg}$ $6 \cdot 40 \text{ kg} = 240 \text{ kg}$

(in dm, cm, mm): $\frac{11}{5} \text{ m} = \frac{11}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $11 \cdot 2 \text{ dm} = 22 \text{ dm} = 22 \cdot 10 \text{ cm} = 220 \text{ cm} = 2200 \text{ mm}$

(in dm, cm, mm): $\frac{3}{20} \text{ m} = \frac{3}{20} \text{ m}$ $\frac{1}{20} \text{ m} = \frac{100}{20} \text{ cm} = 5 \text{ cm}$ $3 \cdot 5 \text{ cm} = 15 \text{ cm} = 15 \cdot 10 \text{ mm} = 150 \text{ mm}$ (=1,5dm)

(in g): $\frac{5}{4} \text{ g} = \frac{5}{4} \text{ kg}$ $\frac{1}{4} \text{ kg} = \frac{1000}{4} \text{ g} = 250 \text{ g}$ $5 \cdot 250 \text{ g} = 1250 \text{ g}$

(in kg): $\frac{9}{4} \text{ t} = \frac{9}{4} \text{ t}$ $\frac{1}{4} \text{ t} = \frac{1000}{4} \text{ kg} = 250 \text{ kg}$ $9 \cdot 250 \text{ kg} = 2250 \text{ kg}$

Übung Größen bruchfrei schreiben

(in dm, cm, mm): $\frac{9}{5} \text{ m} = \frac{9}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $9 \cdot 2 \text{ dm} = 18 \text{ dm} = 18 \cdot 10 \text{ cm} = 180 \text{ cm} = 1800 \text{ mm}$

(in dm, cm, mm): $\frac{3}{20} \text{ m} = \frac{3}{20} \text{ m}$ $\frac{1}{20} \text{ m} = \frac{100}{20} \text{ cm} = 5 \text{ cm}$ $3 \cdot 5 \text{ cm} = 15 \text{ cm} = 15 \cdot 10 \text{ mm} = 150 \text{ mm} (=1,5 \text{ dm})$

(in g): $\frac{5}{8} \text{ g} = \frac{5}{8} \text{ kg}$ $\frac{1}{8} \text{ kg} = \frac{1000}{8} \text{ g} = 125 \text{ g}$ $5 \cdot 125 \text{ g} = 625 \text{ g}$

(in kg): $\frac{9}{8} \text{ t} = \frac{9}{8} \text{ t}$ $\frac{1}{8} \text{ t} = \frac{1000}{8} \text{ kg} = 125 \text{ kg}$ $9 \cdot 125 \text{ kg} = 1125 \text{ kg}$

(in dm, cm, mm): $\frac{8}{5} \text{ m} = \frac{8}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $8 \cdot 2 \text{ dm} = 16 \text{ dm} = 16 \cdot 10 \text{ cm} = 160 \text{ cm} = 1600 \text{ mm}$

(in dm, cm, mm): $\frac{9}{20} \text{ m} = \frac{9}{20} \text{ m}$ $\frac{1}{20} \text{ m} = \frac{100}{20} \text{ cm} = 5 \text{ cm}$ $9 \cdot 5 \text{ cm} = 45 \text{ cm} = 45 \cdot 10 \text{ mm} = 450 \text{ mm} (=4,5 \text{ dm})$

(in g): $\frac{7}{25} \text{ g} = \frac{7}{25} \text{ kg}$ $\frac{1}{25} \text{ kg} = \frac{1000}{25} \text{ g} = 40 \text{ g}$ $7 \cdot 40 \text{ g} = 280 \text{ g}$

(in kg): $\frac{9}{4} \text{ t} = \frac{9}{4} \text{ t}$ $\frac{1}{4} \text{ t} = \frac{1000}{4} \text{ kg} = 250 \text{ kg}$ $9 \cdot 250 \text{ kg} = 2250 \text{ kg}$

(in dm, cm, mm): $\frac{9}{5} \text{ m} = \frac{9}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $9 \cdot 2 \text{ dm} = 18 \text{ dm} = 18 \cdot 10 \text{ cm} = 180 \text{ cm} = 1800 \text{ mm}$

(in dm, cm, mm): $\frac{6}{10} \text{ m} = \frac{3}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{100}{5} \text{ cm} = 20 \text{ cm}$ $3 \cdot 20 \text{ cm} = 60 \text{ cm} = 60 \cdot 10 \text{ mm} = 600 \text{ mm} (=6 \text{ dm})$

(in g): $\frac{4}{25} \text{ g} = \frac{4}{25} \text{ kg}$ $\frac{1}{25} \text{ kg} = \frac{1000}{25} \text{ g} = 40 \text{ g}$ $4 \cdot 40 \text{ g} = 160 \text{ g}$

(in kg): $\frac{13}{10} \text{ t} = \frac{13}{10} \text{ t}$ $\frac{1}{10} \text{ t} = \frac{1000}{10} \text{ kg} = 100 \text{ kg}$ $13 \cdot 100 \text{ kg} = 1300 \text{ kg}$

(in dm, cm, mm): $\frac{9}{10} \text{ m} = \frac{9}{10} \text{ m}$ $\frac{1}{10} \text{ m} = \frac{10}{10} \text{ dm} = 1 \text{ dm}$ $9 \cdot 1 \text{ dm} = 9 \text{ dm} = 9 \cdot 10 \text{ cm} = 90 \text{ cm} = 900 \text{ mm}$

(in dm, cm, mm): $\frac{9}{4} \text{ m} = \frac{9}{4} \text{ m}$ $\frac{1}{4} \text{ m} = \frac{100}{4} \text{ cm} = 25 \text{ cm}$ $9 \cdot 25 \text{ cm} = 225 \text{ cm} = 225 \cdot 10 \text{ mm} = 2250 \text{ mm} (=22,5 \text{ dm})$

(in g): $\frac{3}{4} \text{ g} = \frac{3}{4} \text{ kg}$ $\frac{1}{4} \text{ kg} = \frac{1000}{4} \text{ g} = 250 \text{ g}$ $3 \cdot 250 \text{ g} = 750 \text{ g}$

(in kg): $\frac{6}{25} \text{ t} = \frac{6}{25} \text{ t}$ $\frac{1}{25} \text{ t} = \frac{1000}{25} \text{ kg} = 40 \text{ kg}$ $6 \cdot 40 \text{ kg} = 240 \text{ kg}$

(in dm, cm, mm): $\frac{6}{5} \text{ m} = \frac{6}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $6 \cdot 2 \text{ dm} = 12 \text{ dm} = 12 \cdot 10 \text{ cm} = 120 \text{ cm} = 1200 \text{ mm}$

(in dm, cm, mm): $\frac{3}{20} \text{ m} = \frac{3}{20} \text{ m}$ $\frac{1}{20} \text{ m} = \frac{100}{20} \text{ cm} = 5 \text{ cm}$ $3 \cdot 5 \text{ cm} = 15 \text{ cm} = 15 \cdot 10 \text{ mm} = 150 \text{ mm} (=1,5 \text{ dm})$

(in g): $\frac{7}{4} \text{ g} = \frac{7}{4} \text{ kg}$ $\frac{1}{4} \text{ kg} = \frac{1000}{4} \text{ g} = 250 \text{ g}$ $7 \cdot 250 \text{ g} = 1750 \text{ g}$

(in kg): $\frac{7}{20} \text{ t} = \frac{7}{20} \text{ t}$ $\frac{1}{20} \text{ t} = \frac{1000}{20} \text{ kg} = 50 \text{ kg}$ $7 \cdot 50 \text{ kg} = 350 \text{ kg}$

Übung Größen bruchfrei schreiben

(in dm, cm, mm): $\frac{6}{5} \text{ m} = \frac{6}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $6 \cdot 2 \text{ dm} = 12 \text{ dm} = 12 \cdot 10 \text{ cm} = 120 \text{ cm} = 1200 \text{ mm}$

(in dm, cm, mm): $\frac{3}{2} \text{ m} = \frac{3}{2} \text{ m}$ $\frac{1}{2} \text{ m} = \frac{100}{2} \text{ cm} = 50 \text{ cm}$ $3 \cdot 50 \text{ cm} = 150 \text{ cm} = 150 \cdot 10 \text{ mm} = 1500 \text{ mm} (=15 \text{ dm})$

(in g): $\frac{3}{25} \text{ g} = \frac{3}{25} \text{ kg}$ $\frac{1}{25} \text{ kg} = \frac{1000}{25} \text{ g} = 40 \text{ g}$ $3 \cdot 40 \text{ g} = 120 \text{ g}$

(in kg): $\frac{9}{25} \text{ t} = \frac{9}{25} \text{ t}$ $\frac{1}{25} \text{ t} = \frac{1000}{25} \text{ kg} = 40 \text{ kg}$ $9 \cdot 40 \text{ kg} = 360 \text{ kg}$

(in dm, cm, mm): $\frac{5}{2} \text{ m} = \frac{5}{2} \text{ m}$ $\frac{1}{2} \text{ m} = \frac{10}{2} \text{ dm} = 5 \text{ dm}$ $5 \cdot 5 \text{ dm} = 25 \text{ dm} = 25 \cdot 10 \text{ cm} = 250 \text{ cm} = 2500 \text{ mm}$

(in dm, cm, mm): $\frac{7}{4} \text{ m} = \frac{7}{4} \text{ m}$ $\frac{1}{4} \text{ m} = \frac{100}{4} \text{ cm} = 25 \text{ cm}$ $7 \cdot 25 \text{ cm} = 175 \text{ cm} = 175 \cdot 10 \text{ mm} = 1750 \text{ mm} (=17,5 \text{ dm})$

(in g): $\frac{4}{5} \text{ g} = \frac{4}{5} \text{ kg}$ $\frac{1}{5} \text{ kg} = \frac{1000}{5} \text{ g} = 200 \text{ g}$ $4 \cdot 200 \text{ g} = 800 \text{ g}$

(in kg): $\frac{3}{20} \text{ t} = \frac{3}{20} \text{ t}$ $\frac{1}{20} \text{ t} = \frac{1000}{20} \text{ kg} = 50 \text{ kg}$ $3 \cdot 50 \text{ kg} = 150 \text{ kg}$

(in dm, cm, mm): $\frac{7}{2} \text{ m} = \frac{7}{2} \text{ m}$ $\frac{1}{2} \text{ m} = \frac{10}{2} \text{ dm} = 5 \text{ dm}$ $7 \cdot 5 \text{ dm} = 35 \text{ dm} = 35 \cdot 10 \text{ cm} = 350 \text{ cm} = 3500 \text{ mm}$

(in dm, cm, mm): $\frac{7}{4} \text{ m} = \frac{7}{4} \text{ m}$ $\frac{1}{4} \text{ m} = \frac{100}{4} \text{ cm} = 25 \text{ cm}$ $7 \cdot 25 \text{ cm} = 175 \text{ cm} = 175 \cdot 10 \text{ mm} = 1750 \text{ mm} (=17,5 \text{ dm})$

(in g): $\frac{9}{20} \text{ g} = \frac{9}{20} \text{ kg}$ $\frac{1}{20} \text{ kg} = \frac{1000}{20} \text{ g} = 50 \text{ g}$ $9 \cdot 50 \text{ g} = 450 \text{ g}$

(in kg): $\frac{3}{10} \text{ t} = \frac{3}{10} \text{ t}$ $\frac{1}{10} \text{ t} = \frac{1000}{10} \text{ kg} = 100 \text{ kg}$ $3 \cdot 100 \text{ kg} = 300 \text{ kg}$

(in dm, cm, mm): $\frac{7}{10} \text{ m} = \frac{7}{10} \text{ m}$ $\frac{1}{10} \text{ m} = \frac{10}{10} \text{ dm} = 1 \text{ dm}$ $7 \cdot 1 \text{ dm} = 7 \text{ dm} = 7 \cdot 10 \text{ cm} = 70 \text{ cm} = 700 \text{ mm}$

(in dm, cm, mm): $\frac{4}{5} \text{ m} = \frac{4}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{100}{5} \text{ cm} = 20 \text{ cm}$ $4 \cdot 20 \text{ cm} = 80 \text{ cm} = 80 \cdot 10 \text{ mm} = 800 \text{ mm} (=8 \text{ dm})$

(in g): $\frac{7}{25} \text{ g} = \frac{7}{25} \text{ kg}$ $\frac{1}{25} \text{ kg} = \frac{1000}{25} \text{ g} = 40 \text{ g}$ $7 \cdot 40 \text{ g} = 280 \text{ g}$

(in kg): $\frac{7}{25} \text{ t} = \frac{7}{25} \text{ t}$ $\frac{1}{25} \text{ t} = \frac{1000}{25} \text{ kg} = 40 \text{ kg}$ $7 \cdot 40 \text{ kg} = 280 \text{ kg}$

(in dm, cm, mm): $\frac{9}{5} \text{ m} = \frac{9}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $9 \cdot 2 \text{ dm} = 18 \text{ dm} = 18 \cdot 10 \text{ cm} = 180 \text{ cm} = 1800 \text{ mm}$

(in dm, cm, mm): $\frac{9}{10} \text{ m} = \frac{9}{10} \text{ m}$ $\frac{1}{10} \text{ m} = \frac{100}{10} \text{ cm} = 10 \text{ cm}$ $9 \cdot 10 \text{ cm} = 90 \text{ cm} = 90 \cdot 10 \text{ mm} = 900 \text{ mm} (=9 \text{ dm})$

(in g): $\frac{3}{8} \text{ g} = \frac{3}{8} \text{ kg}$ $\frac{1}{8} \text{ kg} = \frac{1000}{8} \text{ g} = 125 \text{ g}$ $3 \cdot 125 \text{ g} = 375 \text{ g}$

(in kg): $\frac{9}{20} \text{ t} = \frac{9}{20} \text{ t}$ $\frac{1}{20} \text{ t} = \frac{1000}{20} \text{ kg} = 50 \text{ kg}$ $9 \cdot 50 \text{ kg} = 450 \text{ kg}$

Übung Größen bruchfrei schreiben

(in dm, cm, mm): $\frac{2}{5} \text{ m} = \frac{2}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $2 \cdot 2 \text{ dm} = 4 \text{ dm} = 4 \cdot 10 \text{ cm} = 40 \text{ cm} = 400 \text{ mm}$

(in dm, cm, mm): $\frac{5}{4} \text{ m} = \frac{5}{4} \text{ m}$ $\frac{1}{4} \text{ m} = \frac{100}{4} \text{ cm} = 25 \text{ cm}$ $5 \cdot 25 \text{ cm} = 125 \text{ cm} = 125 \cdot 10 \text{ mm} = 1250 \text{ mm} (=12,5 \text{ dm})$

(in g): $\frac{7}{4} \text{ g} = \frac{7}{4} \text{ kg}$ $\frac{1}{4} \text{ kg} = \frac{1000}{4} \text{ g} = 250 \text{ g}$ $7 \cdot 250 \text{ g} = 1750 \text{ g}$

(in kg): $\frac{13}{8} \text{ t} = \frac{13}{8} \text{ t}$ $\frac{1}{8} \text{ t} = \frac{1000}{8} \text{ kg} = 125 \text{ kg}$ $13 \cdot 125 \text{ kg} = 1625 \text{ kg}$

(in dm, cm, mm): $\frac{11}{5} \text{ m} = \frac{11}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $11 \cdot 2 \text{ dm} = 22 \text{ dm} = 22 \cdot 10 \text{ cm} = 220 \text{ cm} = 2200 \text{ mm}$

(in dm, cm, mm): $\frac{6}{20} \text{ m} = \frac{3}{10} \text{ m}$ $\frac{1}{10} \text{ m} = \frac{100}{10} \text{ cm} = 10 \text{ cm}$ $3 \cdot 10 \text{ cm} = 30 \text{ cm} = 30 \cdot 10 \text{ mm} = 300 \text{ mm} (=3 \text{ dm})$

(in g): $\frac{4}{5} \text{ g} = \frac{4}{5} \text{ kg}$ $\frac{1}{5} \text{ kg} = \frac{1000}{5} \text{ g} = 200 \text{ g}$ $4 \cdot 200 \text{ g} = 800 \text{ g}$

(in kg): $\frac{3}{4} \text{ t} = \frac{3}{4} \text{ t}$ $\frac{1}{4} \text{ t} = \frac{1000}{4} \text{ kg} = 250 \text{ kg}$ $3 \cdot 250 \text{ kg} = 750 \text{ kg}$

(in dm, cm, mm): $\frac{3}{5} \text{ m} = \frac{3}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $3 \cdot 2 \text{ dm} = 6 \text{ dm} = 6 \cdot 10 \text{ cm} = 60 \text{ cm} = 600 \text{ mm}$

(in dm, cm, mm): $\frac{3}{25} \text{ m} = \frac{3}{25} \text{ m}$ $\frac{1}{25} \text{ m} = \frac{100}{25} \text{ cm} = 4 \text{ cm}$ $3 \cdot 4 \text{ cm} = 12 \text{ cm} = 12 \cdot 10 \text{ mm} = 120 \text{ mm} (=1,2 \text{ dm})$

(in g): $\frac{8}{25} \text{ g} = \frac{8}{25} \text{ kg}$ $\frac{1}{25} \text{ kg} = \frac{1000}{25} \text{ g} = 40 \text{ g}$ $8 \cdot 40 \text{ g} = 320 \text{ g}$

(in kg): $\frac{4}{5} \text{ t} = \frac{4}{5} \text{ t}$ $\frac{1}{5} \text{ t} = \frac{1000}{5} \text{ kg} = 200 \text{ kg}$ $4 \cdot 200 \text{ kg} = 800 \text{ kg}$

(in dm, cm, mm): $\frac{6}{5} \text{ m} = \frac{6}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $6 \cdot 2 \text{ dm} = 12 \text{ dm} = 12 \cdot 10 \text{ cm} = 120 \text{ cm} = 1200 \text{ mm}$

(in dm, cm, mm): $\frac{7}{10} \text{ m} = \frac{7}{10} \text{ m}$ $\frac{1}{10} \text{ m} = \frac{100}{10} \text{ cm} = 10 \text{ cm}$ $7 \cdot 10 \text{ cm} = 70 \text{ cm} = 70 \cdot 10 \text{ mm} = 700 \text{ mm} (=7 \text{ dm})$

(in g): $\frac{9}{4} \text{ g} = \frac{9}{4} \text{ kg}$ $\frac{1}{4} \text{ kg} = \frac{1000}{4} \text{ g} = 250 \text{ g}$ $9 \cdot 250 \text{ g} = 2250 \text{ g}$

(in kg): $\frac{9}{10} \text{ t} = \frac{9}{10} \text{ t}$ $\frac{1}{10} \text{ t} = \frac{1000}{10} \text{ kg} = 100 \text{ kg}$ $9 \cdot 100 \text{ kg} = 900 \text{ kg}$

(in dm, cm, mm): $\frac{4}{5} \text{ m} = \frac{4}{5} \text{ m}$ $\frac{1}{5} \text{ m} = \frac{10}{5} \text{ dm} = 2 \text{ dm}$ $4 \cdot 2 \text{ dm} = 8 \text{ dm} = 8 \cdot 10 \text{ cm} = 80 \text{ cm} = 800 \text{ mm}$

(in dm, cm, mm): $\frac{11}{2} \text{ m} = \frac{11}{2} \text{ m}$ $\frac{1}{2} \text{ m} = \frac{100}{2} \text{ cm} = 50 \text{ cm}$ $11 \cdot 50 \text{ cm} = 550 \text{ cm} = 550 \cdot 10 \text{ mm} = 5500 \text{ mm} (=55 \text{ dm})$

(in g): $\frac{5}{10} \text{ g} = \frac{1}{2} \text{ kg}$ $\frac{1}{2} \text{ kg} = \frac{1000}{2} \text{ g} = 500 \text{ g}$ $1 \cdot 500 \text{ g} = 500 \text{ g}$

(in kg): $\frac{7}{20} \text{ t} = \frac{7}{20} \text{ t}$ $\frac{1}{20} \text{ t} = \frac{1000}{20} \text{ kg} = 50 \text{ kg}$ $7 \cdot 50 \text{ kg} = 350 \text{ kg}$